# Precalculus with Trigonometry Lesson: April 7th

### **Learning Target:**

Students will use the Law of Sines to solve for missing angle measurements or missing side lengths of a non-right triangle.

#### Let's Get Started:

Watch Video - Finding Angles Using the Sine Rule

# Reminder

# Law of Sines


$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$
or
$$\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}$$

## Example #1: (Same as April 6th)

Step 1: Determine whether you are solving for an angle or a side.

Step 2: Set up your proportion so that the missing measurement is on top. In this case...  $\sin \theta^{\circ} \sin 42^{\circ}$ 

 $\frac{}{22} = \frac{}{17}$ 



Step 3: Use inverse operations to solve for the missing measurement. In this

case... 
$$\sin \theta^{\circ} = 22 \frac{\sin 42^{\circ}}{17} \rightarrow \theta^{\circ} = \sin^{-1} \left( 22 \frac{\sin 42^{\circ}}{17} \right) = 59.989^{\circ}$$

# Example #2: (Same as April 6th)

Step 1: Determine whether you are solving for an angle or a side.

Step 2: Set up your proportion so that the missing measurement is on top. In this case...

$$\frac{x}{\sin 57^{\circ}} = \frac{44}{\sin 88^{\circ}}$$
 Note that I had to determine the angle across from x.


220

Step 3: Use inverse operations to solve for the missing measurement. In this case...


$$x = \sin 57^{\circ} \cdot \frac{44}{\sin 88^{\circ}} = 36.924 \, mm$$

#### Law of Sines Practice:

On a sheet of paper, determine all missing angle and side measurements using the Law of Sines. Then check your answers on the next page.



## Law of Sines Answer Key:



#### **Additional Resources:**

Click on the links below to get additional videos and practice to check your understanding.

**Additional Videos** 

Law of Sines

**Trigonometry - Law of Sines** 

Extra Practice with Answers

Corbettmaths.com