



# Request for *proposal*

**EPOXY FLOORING FOR DISTRICT BUILDINGS  
RFP# 2019-PUR-001**

**PROPOSALS MUST BE RECEIVED BY:  
10:00 AM (CST) ON TUESDAY, FEBRUARY 26, 2019**

Please mark your sealed envelope **“RFP #2019-PUR-001 Epoxy Flooring for District Buildings Proposal”** and deliver to the following address and person:

Lisa Patrick  
Purchasing Supervisor  
[Lisa\\_Patrick@idschools.org](mailto:Lisa_Patrick@idschools.org)

201 N. Forest Avenue  
Independence, MO 64050  
816-521-5599 extension 61010

*All questions, requests for information or clarification pertaining to this bid must be submitted in writing to the above e-mail address. The deadline for questions is **Thursday, February 21, 2019 at 2:00 PM (CST)***

It is the responsibility of interested firms to check the website: <http://sites.idschools.org/purchasing/bids-and-rfps> for any addendums or notices of information prior to the opening date and time of this RFP. All addendums must be signed and included with your submitted Proposal.



2019-PUR-001  
 Epoxy Flooring for District  
 Buildings  
 Lisa Patrick  
 Independence School District  
 Facilities & Purchasing  
 201 N. Forest Avenue  
 Independence, MO 64050  
 (816)521-5599 ext. 61010

## TABLE OF CONTENTS

*Background* ..... 3

*Description of Services (or Project)* .....3&4

*Scope of Services* ..... 5

*Required Insurance* ..... 6

*Disclosures and Notifications* ..... 7

*Contract Terms*..... 7-10

*Interpretation, Questions, Withdrawal*..... 10-11

*Quote*..... 11

*Proposal Submission and Opening*..... 11-12

*Reservation of Rights* ..... 12

*Proposal Evaluation* ..... 12

*Vendor List* ..... 13

*Appendix A - Federal Work Authorization Program Affidavit*..... 14

*Appendix B - References and Experience* ..... 15

*Appendix C - Personnel Qualifications* ..... 16

*Appendix D - BID Proposal Submission Form - Epoxy Flooring for District Buildings* ..... 17-19

*Attachment A - Specifications*..... 20-22

*Attachment B - Map of Areas* ..... 23-30



**2019-PUR-001**  
**Epoxy Flooring for District**  
**Buildings**  
*Lisa Patrick*  
**Independence School District**  
**Facilities & Purchasing**  
**201 N. Forest Avenue**  
**Independence, MO 64050**  
**(816)521-5599 ext. 61010**

**Proposal Due:**  
February 26, 2019  
10:00 a.m.

## **1. Background**

### **1.1. Notice**

1.1.1. Independence School District (the “District”) seeks a contractor (“Contractor”) to perform district flooring repair/replacement. If your firm is interested, please submit the information requested in this Request for Proposal (RFP) to the Independence School District office by 10:00 a.m. on February 26, 2019. All information necessary for the submittal is contained in this RFP.

### **1.2. RFP Schedule**

- 1.2.1. Issue RFP: January 17, 2019
- 1.2.2. Deadline to schedule inspection of property: February 18, 2019, 3:30 p.m.
- 1.2.3. Deadline to submit written questions: February 21, 2019, 2:00 p.m.
- 1.2.4. Deadline to submit proposals: February 26, 2019, 10:00 a.m.
- 1.2.5. Vendor selection date: March 12, 2019, 6:00 p.m.

## **2. Description of Services (or Project)**

### **2.1. Type**

#### **2.1.1. Epoxy Flooring**

- 2.1.1.1. *See Attachment A – Tennent ECO-DFS Flake/ECO-HTS*
- 2.1.1.2. *All are to quote a Broadcast Flake 1/8 inch system with 3 color (base, 2 colors of flake) comparable with a 6” covebase.*
- 2.1.1.3. *Include Flast-O-Coat Waterproofing Membrane &/or MVP Primer for any required moisture mitigation that may become required.*

#### **2.1.1.4. Substitutions**



2019-PUR-001  
Epoxy Flooring for District  
Buildings  
*Lisa Patrick*  
Independence School District  
Facilities & Purchasing  
201 N. Forest Avenue  
Independence, MO 64050  
(816)521-5599 ext. 61010

**2.1.1.4.1. Acceptable Substitutions**

2.1.1.4.1.1. *Sparta*

2.1.1.4.1.2. *Tennant*

2.1.1.4.1.3. *Dur-A-Flex*

2.1.1.4.1.4. *Tnemec*

2.1.1.4.2. *Substitutions must be noted on outside of BID envelope and be accompanied by documentation as to why it is comparable. A Sample must be provided and it is the sole discretion of the DISTRICT as to whether a substitute is equal or better.*

**2.2. Locations**

**2.2.1. James Bridger Middle School (Restrooms, Kitchen, Pool)**

2.2.1.1. *18200 E. M78 Highway, Independence, MO 64057*

2.2.1.1.1. *See specific areas in Attachment B*

**2.2.2. Bryant Elementary School (Kitchen)**

2.2.2.1. *827 W. College, Independence, MO 64050*

2.2.2.1.1. *See specific areas in Attachment B*

**2.2.3. Korte Elementary School (Restrooms)**

2.2.3.1. *2437 S. Hardy, Independence, MO 64052*

2.2.3.1.1. *See specific areas in Attachment B*

**2.2.4. Pioneer Middle School (Restrooms and Kitchen)**

2.2.4.1. *1656 S. Speck Road, Independence, MO 64057*

2.2.4.1.1. *See specific areas in Attachment B*

**2.2.5. Proctor Elementary School (Kitchen)**

2.2.5.1. *1403 W. Linden Avenue, Independence, MO 64052*

2.2.5.1.1. *See specific areas in Attachment B*



2019-PUR-001  
Epoxy Flooring for District  
Buildings  
*Lisa Patrick*  
Independence School District  
Facilities & Purchasing  
201 N. Forest Avenue  
Independence, MO 64050  
(816)521-5599 ext. 61010

**2.2.6. Truman High School (Showers in Locker Room)**

2.2.6.1. 3301 S. Noland Road, Independence, MO 64055

2.2.6.1.1. See specific areas in Attachment B

**2.3. Equipment**

**2.4. Inspection**

2.4.1. Contractor must visit site before submitting their proposal and be responsible for all measurements on the project. Contractor is responsible for exact measurements.

**2.5. Project Schedule**

2.5.1. Vendor selection date: March 12, 2019, 6:00 p.m. Board of Education Meeting

2.5.2. Contract date: March 25, 2019 – James Bridger Middle School Restrooms Only

2.5.3. Contract Date: May 23, 2019 – All other Locations and areas in Attachment B

2.5.4. Planned commencement of service: March 25, 2019. Specific locations will be scheduled after contract awarded by working with Contractor and District.

2.5.5. Planned substantial completion of service: Site specific agreed upon by District time PO is issued.

2.5.6. Planned final completion of service: Site specific agreed upon by District time PO is issued.

**3. Scope of Services**

**3.1. Maintenance Coverage**

**3.2. Hours of service**

District Buildings are available from 6:00 a.m. till 10:00 p.m. during non-student contact days.

**3.3. Terms and conditions**

3.3.1. Contractor is to provide tear out, disposal (& provide dumpster), protect existing flooring and installation to factory specifications as noted in their manufacturer specifications.



**2019-PUR-001**  
**Epoxy Flooring for District**  
**Buildings**  
**Lisa Patrick**  
**Independence School District**  
**Facilities & Purchasing**  
**201 N. Forest Avenue**  
**Independence, MO 64050**  
**(816)521-5599 ext. 61010**

3.3.2. Exact styles, collection and colors will be picked by District after award of bid by winning Contractor.

**3.4. Exclusions**

**3.5. Term**

- 3.5.1.1. March 25, 2019 through March 25, 2020 with same pricing or agreed upon annual increase.
- 3.5.2. Renewals- Contractor is to hold prices good for a period of 1 year from the Start date of March 25, 2019.
- 3.5.3. Start date
  - 3.5.3.1. March 25, 2019 – James Bridger Middle School Restrooms only
  - 3.5.3.2. May 23, 2019 – All other Locations and areas in Attachment B
- 3.5.4. Date of substantial completion
  - 3.5.4.1. Site Specific
- 3.5.5. Date of final completion
  - 3.5.5.1. March 29, 2019 – James Bridger Middle School Restrooms only
  - 3.5.5.2. July 19, 2019 - All other Locations and areas in Attachment B

**4. Required Insurance**

**4.1. Liability**

- 4.1.1. \$100,000 per incident
- 4.1.2. \$300,000 per year

**4.2. Workers Compensation**

- 4.2.1. Statutory limits

**4.3. Bond**

- 4.3.1. Bid: 5 percent of bid amount
- 4.3.2. Payment (executed with connection of Contract): 100 percent of amount of Agreement



2019-PUR-001  
Epoxy Flooring for District  
Buildings  
Lisa Patrick  
Independence School District  
Facilities & Purchasing  
201 N. Forest Avenue  
Independence, MO 64050  
(816)521-5599 ext. 61010

4.3.3. Performance (executed with connection of Contract): 100 percent of Amount of Agreement

**5. Disclosures and notifications**

**5.1. Conflicts of interest**

5.1.1. Proposal must state whether proposer has any professional, business, or familial relationship with any current member of the Board of Education of the District or with any administrator of the District.

**5.2. Cooperative Procurement**

5.2.1. Indicate whether, if the District accepted your proposal, you would provide the same products and services under the same prices and terms to any public school district or any other non-profit organization having membership Mid-America Council of Public Purchasing (MACPP), Mid-America Regional Counsel (MARC) or Greater Suburban Kansas City Joint Purchasing Cooperative (GSKCJPC- currently 20 local district members) and/or located within the greater Kansas City metropolitan trade area.

\_\_\_\_\_YES\_\_\_\_\_NO SIGNATURE: \_\_\_\_\_

5.2.2. The prices, terms, and conditions of this RFP and any subsequent term agreement would control the terms of any subsequent agreement from date of contract for a period of not less than 1 calendar year.

5.2.3. Organizations represented by MACPP, MARC or GSKCJPC have no obligation under the cooperative procurement agreement to use the RFP, proposal, or agreement unless they are specifically named in the RFP as a joint respondent.

5.2.4. The ordering jurisdiction will issue purchase orders and be responsible for all receiving, inspection, payments and other agreement administration.

5.2.5. Each jurisdiction that is a party to the joint proposal may act as Administrative Contracting Officer with responsibility to issue purchase orders, inspect and receive goods, make payments, and handle disputes involving shipment to the jurisdiction.

**6. Contract terms**

**6.1. E-Verify**



2019-PUR-001  
Epoxy Flooring for District  
Buildings  
*Lisa Patrick*  
Independence School District  
Facilities & Purchasing  
201 N. Forest Avenue  
Independence, MO 64050  
(816)521-5599 ext. 61010

- 6.1.1. Missouri law requires all companies doing business under contracts greater than \$5,000 with government entities to attest that all their employees and subcontractor's employees are "lawfully present in the United States."

## **6.2. Prevailing Wage**

- 6.2.1. Missouri law requires agreements to contain the following prevailing wage terms, **if the project is over \$75,000**: "A wage of no less than the prevailing hourly rates of wages for work of a similar character in the locality in which the work is performed shall be paid to all workmen employed by or on behalf of any public body engaged in public works exclusive of maintenance work" (§ 290.220) and "Not less than the prevailing hourly rate of wages specified in wage determination as requested from the State shall be paid to all workers performing work under this contract" (§ 290.250). The contractor shall forfeit as a penalty to the State, County, City, and County, City, Town, District or other political sub-division on whose behalf the contract is made or awarded. Ten (\$10.00) Dollars for each worker employed, for each calendar day, or portion thereof such worker is paid less than the said stipulated rates for any work done under this contract by him or by any sub-contractor under him. § 290.250. All payroll records of the contractor are to be submitted to the School District, with the approved Prevailing Wage Statement, prior to final acceptance of the project.

## **6.3. Liquidated Damages**

- 6.3.1. The District may assess liquidated damages for work not completed as agreed upon for up to \$50 per day.

## **6.4. Applicable law**

- 6.4.1. Missouri law will govern contracts entered into pursuant to this RFP.

## **6.5. Termination**

- 6.5.1. The District may terminate contracts entered into pursuant to this RFP without cause upon 30 days' notice.

## **6.6. Compliance with laws and policies**

- 6.6.1. Proposer must comply with all federal and state anti-discrimination laws.
- 6.6.2. All work shall be done in strict accordance with the provisions of the current edition of the building codes adopted by the City of Independence, Missouri and all city ordinances in effect during performance of this contract.
- 6.6.3. Contractor must be licensed to do business in the City of Independence.





**2019-PUR-001**  
**Epoxy Flooring for District**  
**Buildings**  
**Lisa Patrick**  
**Independence School District**  
**Facilities & Purchasing**  
**201 N. Forest Avenue**  
**Independence, MO 64050**  
**(816)521-5599 ext. 61010**

- 6.6.4. All work shall meet or exceed the Americans with Disabilities Guidelines.
- 6.6.5. *A-133 Compliance Supplement:* The contractor must certify that they and their principals are not debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transactions by any Federal Department or Agency.
- 6.6.6. *Excessive Unemployment:* The Missouri Department of Labor and Industrial Relations has determined that a period of "Excessive Unemployment" remains in effect and will remain in effect if the unemployment rate exceeds 5% in the state of Missouri. Only Missouri laborers and laborers from nonrestrictive states are allowed by law to be employed on Missouri's public works projects. (See Sections 290.550 through 290.580 RSMo).
- 6.6.7. *AHERA Notification:* the District has completed the removal of friable asbestos in all District school buildings. In addition, all facilities have now been inspected by a certified asbestos inspector as required under the ASBESTOS HAZARD EMERGENCY RESPONSE ACT OF 1986 (AHERA). A copy of the AHERA Plan has been filed with the State of Missouri and a copy is on file with each building administrator. The AHERA Plan is available for inspection during regular school hours.
- 6.6.8. *OSHA Training:* As a condition of the Contract entered pursuant to this RFP, a Contractor must provide a 10-hour Occupational Safety and Health Administration (OSHA) Construction Safety Program ("Program") for Contractor's on-site employees as mandated by RSMo 292.675. Said Program must include a course in construction safety and health approved by OSHA or a similar program approved by the Missouri Department of Labor and Industrial Relations. This requirement includes the following: All of Contractors' on-site employees must complete the Program within 60 days of beginning work on the Project; Any employee found on the work site subject to this requirement without documentation of the successful completion of the Program will be given 20 days to produce such documentation before being subject to removal from the Project; Contractor's failure to comply with these requirements will subject it to penalties. Contractor shall forfeit as a penalty to the Owner \$2,500.00 plus \$100.00 for each employee employed by Contractor or Contractor's Subcontractor, for each calendar day, or portion thereof, such employee is employed to work under this Contract without the required training. Said penalty shall not accrue until the period in subsections 1 and 2 have elapsed. Contractor will be subject to said penalties notwithstanding any other provision to the contrary in this Construction Contract. Contractor shall require its contracts with all Subcontractors to contain these provisions. Contractor shall be responsible for penalties to Owner due to any Subcontractor's employees' failure to produce documentary evidence of training in the required Program. Contractor may withhold all sums necessary to cover any penalty from



**2019-PUR-001**  
**Epoxy Flooring for District**  
**Buildings**  
**Lisa Patrick**  
**Independence School District**  
**Facilities & Purchasing**  
**201 N. Forest Avenue**  
**Independence, MO 64050**  
**(816)521-5599 ext. 61010**

Subcontractor by suing in the circuit court of the county in which the project is located. Contractor shall have no right of recovery against Owner

- 6.6.9. *Lead Paint Guidelines:* After April 22, 2010, contractors and their individual crew members working in pre-1978 school buildings that are child occupied and residential properties will be required to obtain their Renovator Certification by an accredited EPA Training Provider.

### **6.7. Background Checks**

- 6.7.1. Contracts entered pursuant to this RFP must require that all employees who have unsupervised interaction with students will be fingerprinted and background checked under the background checks required by the District's Board Policies. Results of background checks of employees working directly with students must be provided to District. District reserves the right to refuse to allow any employee access to students if the employee completes no background check acceptable to the District.

### **6.8. Indemnity**

- 6.8.1. The District will not agree to indemnify any contractor for its own negligence, for injuries or damages that do not arise from acts or omission of the District, or for injuries or damages for which the District has sovereign immunity.

### **6.9. Change orders**

- 6.9.1. Change orders that exceed the greater of \$15,000 or 5% of the total originally contracted amount are subject to Board approval prior to performance of the work and are subject to re-bid. (See Board Policy 7210.)

### **6.10. Proposed contract**

- 6.10.1. Proposals must include a copy of proposed contracts or service agreements if available or disclose terms required by the proposer of this RFP.

## **7. Interpretation, Questions, Withdrawal**

### **7.1. Interpretation**

- 7.1.1. The District will make no oral interpretations for proposers of meaning of the terms in this RFP.
- 7.1.2. Requests for interpretations to the meaning of this RFP must also be made in writing to Independence School District no later than 2:00 p.m., February 21, 2019 and failure by



**2019-PUR-001**  
**Epoxy Flooring for District**  
**Buildings**  
**Lisa Patrick**  
**Independence School District**  
**Facilities & Purchasing**  
**201 N. Forest Avenue**  
**Independence, MO 64050**  
**(816)521-5599 ext. 61010**

the successful proposer to do so shall not relieve the proposer of the obligations to execute such services under a later interpretation by the school district.

- 7.1.3. All interpretations made to the proposers will be issued in addenda to the RFP and will be posted on the ISD website ISDSchools.org and be the sole responsibility of the Bidder to obtain and acknowledge.

**7.2. Questions**

- 7.2.1. Submit written questions to the following person:

Lisa Patrick  
Purchasing Supervisor  
[lisa\\_patrick@idschools.org](mailto:lisa_patrick@idschools.org)  
201 N. Forest Avenue  
Independence, MO 64050  
816-521-5599 extension 61010

**7.3. Withdrawal**

- 7.3.1. Any Contractor may withdraw his proposal prior to the scheduled closing time for receipt of proposals.
- 7.3.2. No proposal shall be withdrawn for thirty (30) days after the scheduled closing time for receipt of proposals.

**8. Quote**

**8.1. Amount- U.S. Dollars**

**8.2. Rate- U.S. Dollars**

**9. Proposal submission and opening**

**9.1. Submission**

- 9.1.1. Submit proposals in a sealed envelope marked "EPOXY FLOORING FOR DISTRICT BUILDINGS PROPOSAL 2019-PUR-001" and deliver to the following address and person:

Lisa Patrick  
Purchasing Supervisor  
[lisa\\_patrick@idschools.org](mailto:lisa_patrick@idschools.org)  
201 N. Forest Avenue



**2019-PUR-001**  
**Epoxy Flooring for District**  
**Buildings**  
*Lisa Patrick*  
**Independence School District**  
**Facilities & Purchasing**  
**201 N. Forest Avenue**  
**Independence, MO 64050**  
**(816)521-5599 ext. 61010**

Independence, MO 64050  
816-521-5599 extension 61010

## **9.2. Opening**

9.2.1. The proposals will be opened and publicly read at the following location on the following date and time:

Date: February 26, 2019

Time: 10:00 a.m.

Location: Facilities Office  
201 N. Forest Avenue  
Independence, MO 64050.

## **10. Reservation of Rights**

***10.1. INDEPENDENCE SCHOOL DISTRICT RESERVES THE RIGHT TO ACCEPT OR REJECT ANY OR ALL PROPOSALS AND WAIVE ANY INFORMALITY IN THE PROPOSAL OR REQUEST FOR PROPOSAL.***

## **11. Proposal Evaluation**

### ***11.1. Award***

11.1.1. The contract will be awarded to the firm submitting the best responsible proposal complying with this RFP if the proposal is reasonable and in the best interest of the District to accept. The firm selected will be notified at the earliest practical date. The decision regarding acceptability of any firm's qualifications/proposal shall remain entirely with the District, at the District's sole discretion. The criteria for making this judgment will include but not be limited to price, demonstrated capability, past work completed and general responsiveness to the RFP.

11.1.2. The District notifies all proposers that minority business enterprises will be afforded full opportunity to submit proposals in response to this Request and will not be discriminated against on the grounds of race, color, or national origin in consideration of an award. Proposer agrees that should any person who performs work because of race, religion, color, sex, national origin, or ancestry.

11.1.3. The District reserves the right to reject any or all proposals, to waive any informalities or technical defects in proposals, and unless otherwise specified by the District, to accept any item or groups of items in the proposal, as in the best interest of the District.



**2019-PUR-001**  
**Epoxy Flooring for District**  
**Buildings**  
*Lisa Patrick*  
**Independence School District**  
**Facilities & Purchasing**  
**201 N. Forest Avenue**  
**Independence, MO 64050**  
**(816)521-5599 ext. 61010**

**11.2. Acceptance Period**

11.2.1. All proposal offers must be firm for 120 days to allow for a signed contract. After that, prices are to be good for 1 calendar year from the contract date of March 25, 2019 unless mutually agreed upon.

**12. Vendor List**



2019-PUR-001  
Epoxy Flooring for District  
Buildings  
Lisa Patrick  
Independence School District  
Facilities & Purchasing  
201 N. Forest Avenue  
Independence, MO 64050  
(816)521-5599 ext. 61010

**Appendix A  
FEDERAL WORK AUTHORIZATION PROGRAM AFFIDAVIT**

I, \_\_\_\_\_, being of legal age and having been duly sworn upon my oath, state the following facts are true:

1. I am over twenty-one years of age; and know of the matters set forth.
2. I am employed by \_\_\_\_\_ (“Company”) and have authority to issue this affidavit on its behalf.
3. Company is enrolled in and participating in the United States E-Verify federal work authorization program regarding Company’s employees working in connection with the services Company is providing to, or will provide to, the District, to the extent allowed by E-Verify.
4. Company does not knowingly employ any person who is an unauthorized alien in connection with the services the Company is providing to, or will provide to, the District.

FURTHER AFFIANT SAYETH NOT.

By: \_\_\_\_\_  
(individual signature)

For \_\_\_\_\_  
(company name)

Title: \_\_\_\_\_

Subscribed and sworn to before me on this \_\_\_\_ day of \_\_\_\_\_, 201\_\_.

\_\_\_\_\_  
NOTARY PUBLIC

My commission expires:

1/11/2019 3:39 PM



2019-PUR-001  
Epoxy Flooring for District  
Buildings  
Lisa Patrick  
Independence School District  
Facilities & Purchasing  
201 N. Forest Avenue  
Independence, MO 64050  
(816)521-5599 ext. 61010

## Appendix B

### REFERENCES AND EXPERIENCE

How many years has your firm been in business? \_\_\_\_\_ years

**List references and prior experience; preferably with other school districts or governmental agencies, in the last 3 – 5 year period; work or services in the same type and size to the project being proposed.**

School District/Business \_\_\_\_\_  
Address \_\_\_\_\_  
Contact Person \_\_\_\_\_ Phone# \_\_\_\_\_  
Description of services performed and completion date \_\_\_\_\_  
\_\_\_\_\_

School District/Business \_\_\_\_\_  
Address \_\_\_\_\_  
Contact Person \_\_\_\_\_ Phone# \_\_\_\_\_  
Description of services performed and completion date \_\_\_\_\_  
\_\_\_\_\_

School District/Business \_\_\_\_\_  
Address \_\_\_\_\_  
Contact Person \_\_\_\_\_ Phone# \_\_\_\_\_  
Description of services performed and completion date \_\_\_\_\_  
\_\_\_\_\_



2019-PUR-001  
 Epoxy Flooring for District  
 Buildings  
 Lisa Patrick  
 Independence School District  
 Facilities & Purchasing  
 201 N. Forest Avenue  
 Independence, MO 64050  
 (816)521-5599 ext. 61010

## Appendix C

### PERSONNEL QUALIFICATIONS

Bidders are REQUIRED to provide the information below in FULL DETAIL.		
Indicate the person who will be supervising project and years of experience in similar work.		
Name: _____ Number of Years: _____		
Type of Experience: _____		
Complete the following for employees that would be working on this project. List any previous work directly relating to the scope of this project for other school districts and/or governmental agencies or private companies in the last five years. Attach a separate sheet of paper if needed.		
EMPLOYEE NAME	QUALIFICATIONS	EXPERIENCE/TRAINING





**2019-PUR-001**  
**Epoxy Flooring for District Buildings**  
**Lisa Patrick**  
**Independence School District**  
**Facilities & Purchasing**  
**201 N. Forest Avenue**  
**Independence, MO 64050**  
**(816)521-5599 ext. 61010**

## **Appendix D**

### **BID PROPOSAL SUBMISSION FORM – Epoxy Flooring for District Buildings**

Proposal of \_\_\_\_\_ (hereinafter called "Bidder"), organized and existing under the laws of the State of \_\_\_\_\_, doing business as a corporation, a partnership, an individual (circle one) to the Board of Education, School District of Independence, Missouri (hereinafter called "Owner").

1. In compliance with your Advertisement for Bids, Bidder hereby proposes to perform all work for the *INDEPENDENCE SCHOOL DISTRICT – Epoxy Flooring for District Buildings*. In strict accordance with the Contract Documents, within the time set forth herein and at the prices stated below, bidder should propose on individual base bids for specific project locations as noted below. Owner will award contract per individual base bid.
2. By submission of this Bid, each Bidder certifies, and in the case of a joint Bid each party thereto certifies as to its own organization, that this Bid has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this Bid with any other Bidder or with any competitor.
3. Bidder acknowledges receipt of the following ADDENDA: \_\_\_\_\_
4. The undersigned, having familiarized itself with local conditions affecting the cost of the work at the place where the work is to be done and with all Bidding Documents, including the Instructions to Bidders, Plans and Specifications, General and Supplementary Conditions, the Standard Form of Agreement and the other Contract Documents, and having examined the location of the proposed work and considered the availability of labor and materials, hereby proposes and agrees to perform everything required to be performed, and to provide and furnish any and all labor, materials, supervision, necessary tools, equipment, and all utility and transportation service necessary to perform and complete in a workmanlike and timely manner all of the work required for the project, all in strict conformance with the Instructions to Bidders and other Contract Documents (including Addenda noted above, the receipt of which is hereby acknowledged), for the lump sums hereinafter specified.



2019-PUR-001  
Epoxy Flooring for District  
Buildings  
*Lisa Patrick*  
Independence School District  
Facilities & Purchasing  
201 N. Forest Avenue  
Independence, MO 64050  
(816)521-5599 ext. 61010

## Appendix D (Cont)

RESPECTFULLY SUBMITTED:

_____	_____
Signature	Title
_____	_____
Name (Please type or write clearly)	Date
_____	_____
Company Name	Telephone Number      Fax Number
_____	_____
Street	Email address
_____	_____
City, State, Zip Code	License number (if applicable)

By signing, he/she certifies that they are an authorized agent of said company and has the authority to legally enter into a binding Service Agreement.

SEAL – (If BID is by a corporation)

**Appendix D (Cont)**

<b><i>BID SHEET</i></b>						
<b>Project:</b>	Epoxy Flooring for District Buildings					
<b>RFP#:</b>	2019-PUR-001					
<b>Owner:</b>	Independence School District					
<b>Date:</b>	March 12, 2019					
<b>Contractor Name</b>						
<b>Schools</b>	James Bridger Middle School (Restrooms, Kitchen, Pool)	Bryant Elementary School (Kitchen)	Korte Elementary School (Restrooms)	Pioneer Middle School (Restrooms, Kitchen)	Procter Elementary School (Kitchen)	Truman High School (Showers in Locker Room)
Location Addresses	<i>18200 E. M78 Highway, Independence, MO 64057</i>	<i>827 W. College, Independence, MO 64050</i>	<i>2437 S. Hardy, Independence, MO 64052</i>	<i>1656 S. Speck Road, Independence, MO 64057</i>	<i>1403 W. Linden Avenue, Independence, MO 64052</i>	<i>3301 S. Noland Road, Independence, Mo 64055</i>
Contract Date	<i>Restrooms : March 25, 2019 - March 29, 2019 Kitchen &amp; Pool - May 23, 2019 (after last day of school-currently May 22, 2019) - July 19, 2019</i>	<i>May 23, 2019 (after last day of school-currently May 22, 2019) - July 19, 2019</i>	<i>May 23, 2019 (after last day of school-currently May 22, 2019) - July 19, 2019</i>	<i>May 23, 2019 (after last day of school-currently May 22, 2019) - July 19, 2019</i>	<i>May 23, 2019 (after last day of school-currently May 22, 2019) - July 19, 2019</i>	<i>May 23, 2019 (after last day of school-currently May 22, 2019) - July 19, 2019</i>
1. Broadcast Flake 1/8 inch system with 3 color (base, 2 colors of flake) comparable with 6" covebase, include Flast-O-Coat Waterproofing Membrane &/or MVP Primer for any required moisture mitigation. 2. Include any additional supplies needed	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Disposal (Provide dumpster), Removal Charges, Installation Charges, Freight and Delivery Charges	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
<b>TOTAL BID</b>	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Warranty in Years						
\$/SF Moisture Barrier						
\$/Sq Ft if 5,000 sq ft						
Wet Wall Capable? Y or N						

Company Name: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

# Eco-DFS™ Flake / Eco-HTS

## Decorative Flake System ( Broadcast) 1/8 inch Satin Finish Urethane Topcoat



Tennant Company, 701 North Lilac Drive, P.O. Box 1452, Minneapolis, MN 55440-1452  
800-553-8033 / [www.tennantfloorcoatings.com](http://www.tennantfloorcoatings.com)  
© Tennant Company 02/23/06

### Division 9

#### Section - Resinous Flooring

### PART 1 - GENERAL

#### 1.01 Summary

- A. A filled two-component, 100% solids epoxy that consists of epoxy resin and colored flake chips topcoated with a proprietary three-component moisture-cure urethane for an attractive, slip-resistant surface with superior abrasion resistance on interior concrete floors. Complies with VOC Rules and Regulations.

#### 1.02 Performance Requirements

- A. See manufacturer's technical data bulletin for specific material, cured coatings and a complete list of chemical resistant properties.

#### 1.03 Submittals

- A. Product Data: Submit manufacturer's product data, including physical properties, chemical resistance, surface preparation and application instructions.
- B. Submit list of five projects similar in nature, which have been installed by applicator during the last five years, identified with project name, location, name of owner's representative, their phone number and date.
- C. Submit manufacturer's standard warranty and applicator's warranty.

#### 1.04 Quality Assurance

- A. Applicator Qualifications:
  - 1. A minimum of three years' experience in the application of coatings or resurfacers to concrete floors.
  - 2. A minimum of ten jobs or 1,000,000 square feet of successful applications.
- B. Pre-Application Meeting: Convene a pre-application meeting 2 weeks before the start of application of floor coating system. Require attendance of parties directly affecting work of this section, including the Contractor, Architect, Applicator and Manufacturer's Representative. Review the surface preparation, application, cleaning, protection and coordination with other work.

#### 1.05 Delivery, Storage and Handling

- A. Delivery: Deliver materials to site in manufacturer's original, unopened containers and packaging, with labels clearly identifying product name and manufacturer.
- B. Store materials in accordance with manufacturer's instructions.
  - 1. Store materials in dry, enclosed area with adequate protection from moisture.
  - 2. Keep containers sealed until ready for use.
  - 3. Storage Temperature: 65°F (18°C) and 90°F (32°C).

#### 1.06 Warranty

- A. Written manufacturer's warranty covering materials only. Applicator to provide application warranty.

### PART 2 - PRODUCTS

#### 2.01 Materials

- A. : Decorative Flake
  - 1. Percent Solids, 100 ASTM D2369

2. Completely light stable over the normal life of the coating.
- B. Resin for random seed coats: Tennant Eco-MPE™ - Multi-Purpose Epoxy. A two-component epoxy.
  1. Volatile Organic Compound (VOC), ASTM D3960
    1. 0 lb/gal or 0 g/L
  2. Tensile Strength, ASTM D2370
    1. 8,000 psi or 55,200 kPa
  3. Percent Elongation, ASTM D2370
    1. 5%
- C. Tennant Eco-HTS™ - Satin Urethane Topcoat. A three-component moisture-cure urethane.
  1. Volatile Organic Compound (VOC), ASTM D3960
    1. <1.1 lb/gal or 130 g/L
  2. Abrasion Resistance, ASTM D4060
    1. 18 mg loss @ 1000 revolutions
  3. Tensile Strength, ASTM D2370
    1. 2,210 psi, 15,227 kPa
  4. Percent Elongation, ASTM D2370
    1. 5%
  5. Sward Hardness, ASTM D2134
    1. 35-40 (1 mil film)
  6. Percent Solids
    1. Part A - 97%
    2. Part B - 16%
    3. Part C - 100%
    4. Mixed - 91.5%
  7. Compressive Strength
    1. ASTM C579 , 10,000 psi 69,000 Kpa
- D. Colors:
  1. Tennant Colors - Flake: Checkerboard, Tweed, Evergreen, Storm and Tornado. Custom blends and solid colors are also available.
- E. Cleaners and Related Products:
  1. Industrial Grease Remover: Tennant Detergent
    1. Tennant detergents are available in a range of formulations which remove a variety of soilage.

### **3.01 Examination**

- A. Examine concrete surface to receive floor coating system. Notify the Architect if surface is not acceptable. Do not begin surface preparation or application until unacceptable conditions have been corrected.
- B. Allow concrete substrate to cure a minimum of 30 days.
- C. **CHECK THE TEMPERATURE AND HUMIDITY:** Floor temperature and materials should be between 65°F (18°C) and 90°F (32°C). Humidity must be less than 80%. **DO NOT** coat unless floor temperature is more than five degrees over the dew point.
- D. **CHECK FOR MOISTURE:** Concrete must be dry before application of this floor coating material. Concrete moisture testing must occur. Calcium chloride testing or in-situ relative humidity testing is recommended. Readings must be below 3 pounds per 1,000 square feet over a 24-hour period on the calcium chloride test or below 70% relative internal concrete humidity. Test methods can be purchased at [www.astm.org](http://www.astm.org), see ASTM F1869 or F2170, respectively or follow instructions from the suppliers of these tests.

**NOTE:** Although testing is critical, it is not a guarantee against future problems. This is especially true if there is no vapor barrier or the vapor barrier is not functioning properly and/or you suspect you may have concrete contamination from oils, chemical spills or excessive salts.

**3.02 Preparation**

- A. Prepare surface in accordance with manufacturer's instructions.
  - 1. Cleaning: Scrub with Tennant detergent and rinse with clean water to remove surface dirt, grease and oil.
  - 2. Preparation; Remove coatings and curing membranes and provide the required bonding profile with one of the following methods:
    - 1. Shotblasting
    - 2. Diamond Grinding

**3.03 Application**


- A. Apply floor coating system in accordance with manufacturer's instructions.
  - 1. Equipment: squeegees, rollers, mechanical blower and funnel for quartz application, etc.
  - 2. Coating: Eco-DFS™ -- Decorative Floor Solutions.
    - 1. Mix Eco-MPE™ components together in accordance with manufacturer's instructions.
    - 2. Mix only enough material which can be applied within 25 minutes.
    - 3. Apply Eco-MPE™ at the rate of 160-200 ft<sup>2</sup>/gal.
    - 4. Immediately broadcast decorative flake into the resin. Hand toss the flake up into the air and let it float down for an even appearance. Apply the appropriate amount to achieve the desired effect. *Note: Approximately, .2 pounds per sq. ft. is used for a full flake broadcast floor.*
    - 5. Allow coating to cure 8-10 hours at 75 degrees F (24 degrees C) and 50% relative humidity.
  - 3. Coating: Eco-HTS™ -- Satin Urethane Topcoat.
    - 1. Open and mix only enough material which can be applied in a 2 hour period.
    - 2. Apply Eco-HTS™ at the rate of 500 ft<sup>2</sup>/gal.
    - 3. Allow coating to dry 24 hours at 75 degrees F (24 degrees C) and 50% relative humidity.

**3.04 Protection**

- A. Close job site to traffic for a period of up to 48 hours after coating application depending on temperature and humidity


**END OF SECTION**

CANT COVE




Coving, if required, shall be installed in accordance with manufacturer's instructions.

ROLLED RADIUS COVE




Epoxy



BRIDGER

1 FLOOR  
NO SCALE

Exoxy.




# BRIDGER

2 FLOOR

NO SCALE



Epoxy



INDEPENDENCE SCHOOL DISTRICT  
 INDEPENDENCE, MISSOURI  
**BRYANT ELEMENTARY**


DRAWN BY  
 FILE NAME: BRYANT  
 PROJ. NO.:

**Korte Elementary School**

2437 S. Hardy Ave.  
Independence, MO 64052

*Epoxy.*

**First Floor**



**KEY**

- Elevator
- Restroom
- Exterior Door
- Stairs
- Egress Window
- You are X**
- Fire Route**
- Tornado Route**

Korte Elementary School

2437 S. Hardy Ave.  
Independence, MO 64052

epoxy.




Second Floor

N


W

E

S



KEY



6pxy

SPACE




5th DIMENSION

newport


Staff Restrooms Highlighted

Epoxy



Ground Floor

Epoxy.



TRUMAN

BASEMENT

NO SCALE