

Addendum Number 4

Issued: May 14, 2025

RFP Name: Equipment and Consumable Supplies

RFP# 2025-PUR-026

Samples Only for Liners

Item#	Item Description	U/M	Brand -Sample	Product# - Sample	Brady Plus	Interboro	Office Product Alliance	Staples	Unipak Corp	Veritiv
					Approved/Rejected	Approved/Rejected	Approved/Rejected	Approved/Rejected	Approved/Rejected	Approved/Rejected
A-121	Liners, 28" x 43" LL 6 mil, 23 Gal R-Fit Clear	CS/250	Gateway Liners	407594	Rejected	Approved (INT-2843-XH)	Rejected (NAPRST28436C)	Rejected (RNW4310C)	Approved	Approved (V01629)
A-122	Liners, 30"x 37" hi density 16 mic.	CS/500	Pitt	MRS9285MC		Approved			Approved	Rejected (V01607)
A-123	Liners, 30"x 37" hi density 16 mic.	CS/500			Rejected	Rejected (INT-3037-H)	Rejected (NAPR303716N)		Rejected	Rejected (V01607)
A-124	Liners, 40"x48" hi density 16 mic.	CS/250	Pitt	MR40483MK	Rejected	Approved (MR4048MK)	Rejected (CW18204 & CW25527)		Rejected	Rejected (V02988)
A-125	Liners, 40"x48" hi density 16 mic.	CS/250					Rejected (CW18204 & CW25527)			Rejected (V02988)
A-126	Liners, 40" x 53" 1.0 mil, 55 Gal R-Fit Black	CS/100	Gateway Lines	407144	Rejected	Approved (INT-4053-XXH)	Rejected (NAPRSB40531B)	Approved (CW22753)	Approved	Rejected (V02976)
A-127	Liners, 40" x 53" 1.2 mil, 55 Gal R-Fit Clear	CS/100	Gateway Liners	407279	Approved	Approved (INT-4053-XXH)	Approved (NAPRST405312C)	Approved (CW22753)	Approved	Rejected (V02976)